



COMPACT ELEGANCE, YOUR MINI OASIS OF RELAXATION

BENEFITS

- + Luxury & design in limited spaces
- + Tailored features for personal touch
- + Enjoyable space for family & friends
- + Private stress relief oasis
- + Therapeutic hydrotherapy benefits
- + Eco-friendly & costs saving operation
- + ideal for compact gardens, terraces & roofs

INVITATION

Join us at Diamant Unipool's factory for an exclusive Minipools presentation in January and February 2024. Don't miss the chance to explore our latest innovations firsthand! Contact our sales manager for more info.



TECHNICAL SPECIFICATION:

Type	Skimmer
Material	A S 316L Stainless steel 1.4404 (X2CrNiMo17-1-2-2)
Wall	Thickness 2,5 mm Brushed K400
Bottom	Thickness 2 mm Anti-slip surface
Options	Hydro massage jets RGB lighting Air therapy

THE PRICE INCLUDES:

- Floating stainless steel skimmer
- 2 stainless steel inlet nozzles
- 2 wall-mounted suction baskets
- Piping from skimmer and nozzles
- Insulation: 50mm XPS walls, 20mm XPS floor

OPTIONAL EQUIPMENT:

- Reinforced insulation
- Massage system: 6/10 nozzles
- Lighting: 2 pcs of LED lamps
- Free-standing



Joy

Inner size:
2,2 x 2,4 x 1,2 m

Water volume:
4 150 l

Weight:
750 kg



Family

Inner size:
2,2 x 3,2 x 1,2 m

Water volume:
4 500 l

Weight:
890 kg




Sun

Inner size:
2,2 x 4,0 x 1,2 m

Water volume:
7 070 l

Weight:
1 010 kg



Chill

Inner size:
2,2 x 4,0 x 1,2 m

Water volume:
6 400 l

Weight:
1 120 kg

TECHNICAL SPECIFICATION:

Type	Skimmer
Material	Polypropylene
Wall	Thickness 10 mm
Bottom	Thickness 8 mm Step surface thickness 20 mm
Options	Hydro massage jets RGB lighting

THE PRICE INCLUDES:

- Floating skimmer
- 2 inlet nozzles in the color of the minipool
- Piping from skimmer and nozzles
- Insulation: insulating foam 4 cm
- Colours: white / grey / anthracite

OPTIONAL EQUIPMENT:

- Reinforced insulation
- Massage system: 6/10 nozzles
- Lighting: 2 pcs of LED lamps




Fun

Inner size:
2,2 x 2,4 x 1,2 m

Water volume:
3 180 l

Weight:
350 kg



Rest

Inner size:
2,2 x 3,2 x 1,2 m

Water volume:
5 000 l

Weight:
390 kg



Relax

Inner size:
2,2 x 4,0 x 1,2 m

Water volume:
5 480 l

Weight:
500 kg



Pure

Inner size:
2,2 x 4,0 x 1,2 m

Water volume:
5 210 l

Weight:
500 kg

* All prices are ex works, excluding VAT, transport, installation, and additional services. Prices are valid until December 2023.

TECHNICAL SPECIFICATION:

Type	Skimmer
Material	A S 316L Stainless steel 1.4404 (X2CrNiMo17-1-2-2)
Wall	Thickness 2,5 mm Brushed K400
Bottom	Thickness 2 mm Anti-slip surface
Options	Hydro massage jets RGB lighting Air therapy Counter current

STAINLESS STEEL MINIPOOLS

TECHNICAL SPECIFICATION:

Type	Skimmer
Material	Polypropylene
Wall	Thickness 10 mm
Bottom	Thickness 8 mm Step surface thickness 20 mm
Options	Hydro massage jets RGB lighting Counter current

POLYPROPYLENE MINIPOOLS

THE PRICE INCLUDES:

Floating stainless steel skimmer
Main drain channel
Bottom suction
2 wall-mounted suction baskets
Piping from skimmer and nozzles
Insulation: 30 + 20 mm XPS walls, 100 mm XPS floor

THE PRICE INCLUDES:

2 floating stainless steel skimmers
2 inlet nozzles in the color of the minipool
Piping from skimmer and nozzles
Insulation: insulating foam 4 cm
Colours: white / grey / anthracite

OPTIONAL EQUIPMENT:

Same as for another stainless steel minipools.

OPTIONAL EQUIPMENT:

Same as for another polypropylene minipools.




Swim & Fun

Inner size:
2,4 x 5,25 x 1,2 m

Water volume:
12 890 l

Weight:
1 240 kg



Swim & Play

Inner size:
2,4 x 5,25 x 1,2 m

Water volume:
12 170 l

Weight:
450 kg

K. Schneeberger

Schwimmbad · Montage · Technik

www.schwimmbad1a.at